

# Implementation Of Noise Reduction Algorithms Using Images

RESHAM K S<sup>1</sup>, CHINMAYEE K R<sup>2</sup>, JAYASHREE P H<sup>3</sup>, M N AISHWARYA<sup>4</sup>

<sup>1</sup>Asst Professor, Department of Computer Science & Engineering Mysuru Royal Institute of Technology, Mandya, Karnataka, India.

<sup>2,3,4</sup> Student, Department of Computer Science & Engineering, Mysuru Royal Institute of Technology, Mandya, Karnataka, India.

**Abstract-** Digital image processing plays an important role in areas such as medical imaging, remote sensing, computer vision, and industrial automation. However, digital images are often affected by different types of noise during image acquisition and transmission, which reduces image quality and affects accurate analysis. This project focuses on the implementation and comparison of various noise reduction techniques for improving image quality. Different types of noise, including Gaussian, Salt & Pepper, Speckle, and Poisson noise, are introduced into digital images to simulate real-world degradation conditions. Filtering techniques such as Gaussian, Median, Wiener, and Bilateral filters are applied to remove noise while preserving important image details and edges. The performance of each filtering method is evaluated using image quality metrics such as Mean Square Error (MSE), Peak Signal-to-Noise Ratio (PSNR), and Structural Similarity Index (SSIM). Experimental results show that different filters perform effectively for specific noise types, and selecting an appropriate denoising technique significantly improves image quality and restoration performance.

**Keywords:** Digital Image Processing, Image Enhancement, Noise Removal, Gaussian Noise, Salt & Pepper Noise, Image Denoising.

## I. INTRODUCTION

Digital image processing is widely used in areas such as digital television, medical imaging, remote sensing, robotics, and industrial automation. Its main objectives are to enhance visual information for human interpretation and to enable efficient storage, transmission, and analysis for machine perception. A digital image consists of pixels, each with a specific location and intensity value. During acquisition or transmission, images often get corrupted by noise, which distorts the original information. Common types of noise include Gaussian noise, which affects

all pixels, and impulse noise (such as salt-and-pepper), which alters only some pixels. Removing noise is essential before performing further tasks like segmentation or edge detection, as noise can significantly degrade image quality.

Various noise reduction techniques have been developed, with filtering being one of the most common approaches. Linear and nonlinear filters, such as the median filter, are widely used to smooth images and remove noise. However, challenges remain in effectively reducing noise while preserving important details like edges, especially in medical images where accuracy is critical. Different types of noise require different handling methods, such as speckle noise in ultrasound images. Overall, image denoising is a crucial preprocessing step in applications like image mining, pattern recognition, and computer vision, with ongoing research focused on improving performance while maintaining high signal-to-noise ratios.

## Objectives

1. Simulate different types of noise in digital images using MATLAB Image Processing Toolbox.
2. Study various filtering techniques for noise removal
3. Apply filtering methods to reduce noise in images.
4. Evaluate performance using image quality metrics: MSE, PSNR, and SSIM.
5. Compare the effectiveness of different filtering techniques based on results.

## II. METHODOLOGY

The methodology of this project focuses on analyzing and comparing different noise reduction techniques in digital images. The process begins with the selection of a clean digital image, which serves as the reference or original image for evaluation. To simulate real-world conditions, different types of noise such as Gaussian noise, Salt & Pepper noise, and Speckle noise are artificially added to the image. These noise types help in testing the performance of various filters under different distortion scenarios.

After noise addition, the noisy image is processed using multiple denoising techniques. The Gaussian filter is applied to smooth the image using weighted averaging, mainly reducing Gaussian noise. The Median filter replaces each pixel value with the median of its neighboring pixels and is highly effective in removing Salt & Pepper noise. The Bilateral filter is also used, which reduces noise while preserving important edges by considering both spatial and intensity information.

Once filtering is completed, the denoised images are reconstructed and compared with the original image to assess quality improvement. The performance of each filtering technique is evaluated using standard metrics such as Mean Square Error (MSE), Peak Signal-to-Noise Ratio (PSNR), and Structural Similarity Index (SSIM). These metrics provide a quantitative measure of how closely the filtered image matches the original image.

Finally, the results from all filtering methods are compared to determine the most effective technique. The best-performing filter is identified based on the lowest MSE, highest PSNR, and highest SSIM values, which indicate better noise reduction and higher image quality preservation.

The implementation and performance evaluation of the proposed system were carried out using MATLAB and the MATLAB Image Processing Toolbox.




Figure 1: Flowchart

## III. MODELING AND ANALYSIS

The system is designed as an image-processing framework that includes image acquisition, noise addition, filtering, and performance evaluation.

Initially, a clean image is selected and different types of noise such as Gaussian, Salt & Pepper, Speckle, and Poisson noise are added to simulate real-world image degradation conditions. Various filtering techniques are then applied to restore image quality. The Gaussian filter reduces intensity variations, the Median filter removes impulse noise, the Wiener filter minimizes speckle noise, and the Poisson denoising filter reduces photon-related noise while preserving image details and edges.

Table 1: Noise Comparison

Noise Type	Characteristics	Removal Technique
------------	-----------------	-------------------

Gaussian Noise	Random grain-like variations in pixel intensity	Gaussian Filter
Salt and Pepper Noise	Random black and white pixels in the image	Median Filter
Speckle Noise	Granular multiplicative noise commonly in medical images	Wiener Filter
Poisson Noise	Intensity-dependent noise caused by photon fluctuations	Poisson Denoising Filter

Table presents the comparison of different types of image noise and their corresponding denoising techniques. Gaussian noise introduces random variations in pixel intensity and is commonly reduced using the Gaussian filter. Salt and Pepper noise appears as random black and white pixels in an image and is effectively removed using the Median filter.

Speckle noise produces a granular appearance, especially in medical and radar images, and can be minimized using the Wiener filter. Poisson noise occurs due to photon fluctuations during image acquisition and is reduced using Poisson denoising techniques. The table provides a clear overview of the characteristics of each noise type and the most suitable filtering method used for image restoration.

#### IV. PROBLEM STATEMENT

Digital images are often affected by different types of noise during image acquisition, transmission, and processing, which reduces image quality and affects accurate image analysis. Common noise types such as Gaussian, Salt & Pepper, Speckle, and Poisson noise distort the original image and cause loss of important details, edges, and textures.

The main challenge is to remove noise while preserving image quality and structural information.

Different filtering techniques such as Gaussian, Median, Wiener, and Poisson denoising filters are used to reduce noise and improve image clarity. This project focuses on analyzing different noise types, applying suitable denoising techniques, and evaluating filter performance using metrics such as MSE, PSNR, and SSIM.

I.

#### V. PROPOSED SYSTEM

The proposed system aims to improve digital image quality by removing noise using different filtering techniques. Initially, a clean input image is selected, and various types of noise such as Gaussian, Salt & Pepper, and Speckle noise are added to simulate real-world image degradation conditions. Different filters including Gaussian, Median, and Bilateral filters are then applied to reduce the noise and restore image quality.

The performance of each filtering technique is evaluated using image quality metrics such as MSE, PSNR, and SSIM. These metrics help compare the effectiveness of different filters in removing noise while preserving important image features such as edges and textures.

#### VI. EXISTING SYSTEM

Existing image denoising systems primarily use traditional filtering techniques such as Gaussian, Median, Wiener, and Bilateral filters to reduce noise in digital images. These methods are effective for removing specific types of noise, including Gaussian, Salt & Pepper, and Speckle noise. However, many existing techniques face challenges in preserving important image features such as edges, textures, and fine details during the denoising process. In some cases, excessive filtering may lead to image blurring and loss of structural information, especially at higher noise levels. Therefore, improving noise removal while maintaining image quality remains an important research area in digital image processing.

In existing systems, the performance of noise reduction techniques varies depending on the type and intensity of noise present in the image. Some filters provide better smoothing but reduce image

sharpness, while others preserve edges but may not completely remove noise. Hence, selecting a suitable denoising method is essential for achieving better image restoration and improved visual quality.

## VII. RESULTS AND DISCUSSION

Experimental results showed that different filters perform effectively for different types of noise. The Gaussian filter produced better results for Gaussian noise, while the Median filter effectively removed Salt & Pepper noise. The Wiener filter reduced Speckle noise while preserving image quality.

Performance evaluation using MSE, PSNR, and SSIM metrics confirmed the effectiveness of the proposed denoising techniques. Comparative analysis showed that selecting an appropriate filter based on the noise type provides better image restoration and improved visual quality.

The results also show that suitable filtering techniques can effectively reduce noise while preserving important image features such as edges and textures. The comparative analysis highlights the importance of selecting appropriate filters for achieving better image restoration and improved visual quality.



Figure 2: Performance of noise reduction on Poisson noisy image



Figure 3: Performance of noise reduction on Gaussian noisy image



Figure 4: Performance of noise reduction on Salt and Pepper noisy image



Figure 5: Performance of noise reduction on Speckle noisy image

## CONCLUSION

In this project, different noise reduction techniques were implemented and analyzed for improving the quality of digital images affected by Gaussian, Salt & Pepper, Speckle, and Poisson noise. Various filtering methods such as Gaussian, Median, Wiener, and Bilateral filters were applied to reduce noise and restore image quality. The performance of each filtering technique was evaluated using image quality metrics including MSE, PSNR, and SSIM.

The experimental results showed that each filter performs effectively for specific noise types. The Gaussian filter was suitable for reducing Gaussian noise, the Median filter effectively removed Salt & Pepper noise, and the Wiener filter provided better performance for Speckle noise. Comparative analysis confirmed that selecting an appropriate filtering technique based on the type of noise significantly improves image restoration while preserving important image details, edges, and textures. Overall, the project demonstrates the importance of noise-specific denoising methods in

digital image processing applications.

## REFERENCES

- [1] R. C. Gonzalez and R. E. Woods, *Digital Image Processing*, 3rd ed., Pearson Education, 2008.
- [2] A. M. Joseph, G. John, and A. S. Dhas, "Mammogram image denoising filters: A comparative study," in *IEEE Conference*, 2017.
- [3] A. K. Boyat and B. K. Joshi, "A review paper: Noise models in digital image processing," *Signal & Image Processing: An International Journal*, vol. 6, no. 2, pp. 63–75, 2015.
- [4] R. Verma and J. Ali, "A comparative study of various types of image noise and efficient noise removal techniques," *International Journal of Advanced Research in Computer Science and Software Engineering*, vol. 3, no. 10, 2013.
- [5] P. M. Ingale, "The importance of digital image processing and its applications," *International Journal of Scientific Research in Computer Science and Engineering*, vol. 6, 2018.
- [6] V. Bibhu, B. P. Lohani, M. Vaid, A. Swanny, and K. Verma, "Review of image enhancement in spatial domain," *International Journal of Computer Science and Information Technology Research*, vol. 2, no. 4, 2014.
- [7] R. M. Rakesh, B. Ajeya, and A. R. Mohan, "Hybrid median filter for impulse noise removal," *International Journal of Advanced Research in Computer Science and Software Engineering*, vol. 2, no. 10, 2013.