

Deep Learning-Based Smart Waste Segregation Using Image Classification

HATIM RAMIWALA¹, DR. BALAURUGAN S.²

¹Research Scholar Department of Computer Science & IT Jain (Deemed-To-Be-University), Bangalore, India

²Professor Department of Computer Science & IT Jain (Deemed-To-Be-University), Bangalore, India

Abstract- Rapid urbanization and rising levels of consumption have been a major contributor to the amount of solid waste that is produced globally and this has created a serious environmental and health risk to the population. The inefficient source segregation of waste is one of the main bottlenecks of the modern waste management systems. The conventional sorting techniques are extremely time consuming, dangerous to the worker and can easily be subject to human errors. Over the past few years, scholars have studied the concept of artificial intelligence and deep learning to automate the process of waste classification by using image recognition, and they have suggested models utilizing Convolutional Neural Networks (CNNs) and transfer learning frameworks, including ResNet and MobileNet, to enhance classification performance. Nevertheless, the available literature can be prone to small datasets, complex and computationally intensive models, or controlled laboratory settings, which impair their application in real-world smart waste management systems to a considerable degree. Most of the proposed methods are also not scalable and cannot be implemented in real-time, which makes them inappropriate when it comes to integrating them into embedded or edge computing devices that are prevalent in the smart city infrastructure. In this paper, the review of the recent deep learning solutions to the problem of waste image classification will be provided, and the main research gaps in the literature will be identified. The research will use the YOLOv8 (You Only Look Once) architecture as an automated waste segregation system based on the lightweight deep learning framework, suggested in light of the gaps identified. In contrast to two-stage detectors, the single-stage object detection pipeline of YOLO has the ability to localize and classify objects in multiple classes (e.g., plastic, paper, glass, and metal, and organic waste) at once, making it a real-time inference system, which can be used to deploy smart bins and conveyor-belt sorting devices. The suggested framework is educated and assessed with the help of the wide variety of augmented waste picture data and estimated with the help of typical measures such as mean Average Precision (mAP),

precision, recall, and performance speed. The system is designed to achieve a high degree of classification accuracy with a computational efficiency that is efficient enough to be used in real time applications and, thus, facilitates efficient recycling operations, less manual sorting and effort, and leads to sustainable smart city waste management systems.

Keywords- Deep Learning, Waste Classification, Smart Waste Management, Image Classification, Convolutional Neural Networks (CNN), Transfer Learning, Smart Cities

I. INTRODUCTION

1.1 Background of the Study

Waste management is now emerging as a major issue in the world with the high rate of urbanization, industrial development, and consumption growth. The increasing volume of municipal solid waste is a great issue with environmental, economic, and people health concerns. Segregation of waste at source is one of the most important actions in proper waste management, as it contributes to better recycling, as well as minimizing the number of landfills.

Historically, the separation of waste is performed manually by the sanitation workers. This is very cumbersome, time wasting and workers are subjected to dangerous substances, thus health hazards. What is more, hand sorting is subject to human error, which leads to inappropriate sorting and low quality of recycling.

The vigorous development of Artificial Intelligence (AI) and Deep Learning has led to the special interest in automated waste classification systems. Convolutional Neural Networks (CNNs) and other deep learning models have been shown to be very

accurate when it comes to image recognition. These models are able to identify various types of waste including plastic, paper, metal, glass and organic waste by interpreting the images of waste.

TrashNet and other datasets of waste images have facilitated the training and evaluation of deep learning models by researchers to classify waste in an automated way. The developments provide a possibility to create intelligent waste segregation systems, which would allow enhancing the recycling process and facilitate the deliberate waste management strategies

1.2 Problem Statement

The sorting of waste is an important process in managing waste and in most urban centers the process is being done in a manual manner. Manual sorting is laborious, time consuming, unsafe to sanitation workers and is subject to human errors. The inappropriate segregation causes less recycling effectiveness, environment pollution and landfill wastes.

Though a number of automated systems based on deep learning were suggested, most of them are limited in their accuracy, small datasets, and high-computational costs, which prevents their implementation in practice.

Thus, it is necessary to design a realistic, lightweight, and automated waste classification system based on deep learning with image classification methods that may effectively distinguish between various categories of waste and aid in real-time intelligent waste management.

1.3 Motivation

Efficient waste segregation is essential for improving recycling processes and reducing environmental pollution. However, manual waste sorting remains inefficient and unsafe, highlighting the need for automated solutions. Recent advances in deep learning and image classification provide an opportunity to develop intelligent systems that can automatically identify different types of waste.

Developing a lightweight and accurate deep learning-based waste classification system can help automate waste segregation, reduce human effort, improve recycling efficiency, and support smart waste management initiatives in modern cities.

1.4 Objectives of the Study

Objective 1: To collect and pre-process a diverse dataset of multiple waste categories for image-based classification.

Objective 2: To design and develop a lightweight deep learning model for accurate multi-class waste classification.

Objective 3: To evaluate the model performance using metrics such as Accuracy, Precision, Recall, and F1-score.

Objective 4: To analyze existing deep learning techniques used for waste image classification.

1.5 Contributions of the Paper

In this paper, the current issues related to waste classification systems based on deep learning are thoroughly analyzed. Following the analysis of the available literature, a number of constraints are also mentioned, including small datasets, computation intensive nature, and the absence of real-time implementation.

The key contributions of the study are as follows:

- A systematic review of the deep learning methods applied in smart waste management systems to classify waste images.
- Determining the major research gaps in the current literature regarding dataset limitations, model efficiency, and real time applicability.
- A lightweight deep learning architecture to be proposed and used to classify multi-class wastes using image material.
- Testing of the suggested model in terms of performance, based on conventional measures like accuracy, precision, recall, and F1-score to justify real-time smart waste segmentation systems.

1.6 Organization of the Paper

The remainder of this paper is organized as follows. Section 5 presents the literature review and discusses existing research related to deep learning-based waste classification systems.

Section 6 describes the proposed methodology and system design for automated waste classification. Section 7 outlines the expected results and discussion, including the evaluation strategy for the proposed model.

Section 8 discusses potential applications and use cases of the system in real-world waste management scenarios.

Finally, Section 9 concludes the paper by summarizing the key findings, research contributions, and future research directions.

II. LITERATURE REVIEW

2.1 Thematic Classification of Literature

More recent studies have studied the application of artificial intelligence and deep learning algorithms to enhance waste management systems. Specifically, waste classification through images has also attracted interest to be a functional method of automating waste separation. The ways in which existing studies may be organized are broadly divided into three groups: traditional machine learning approaches, deep learning-based approaches, and advanced models or hybrids.

2.1.1 Classical methods of machine learning.

Initial research on waste classification was based on conventional machine learning techniques including Support Vector Machines (SVM), k-Nearest Neighbors (k-NN) and Random Forest. These methods were normally done with manual feature extraction methods like color, texture, and shape features. Although these techniques were performing moderately, they were not very accurate as they mostly relied on handcrafted characteristics and were unable to extract intricate patterns in image data.

2.1.2 Deep Learning Approaches

Convolutional Neural Networks (CNN) have recently gained widespread application as a method of waste classification based on images with the development of deep learning. Multiple works have used CNN models and transfer learning, including ResNet, MobileNet, VGG, and EfficientNet to enhance the accuracy of classification. These are auto-learned models that take images as inputs and have been shown to be much more improved than conventional machine learning methods. Other publicly available datasets like the trash net and other waste image datasets have also been used by many researchers to train and test deep learning models.

2.1.3 Object Detection and Real-time Methods.

Other object detection frameworks, including YOLO (You Only Look Once), have also been examined in recent years as a tool that can be used to build a waste detection and classification system in real-time. These methods allow the system to identify various waste objects in complicated scenarios and give prompt inference that would be utilized in real-time. They can be applied especially when it comes to smart waste bins and automated recycling systems.

2.1.4 Advanced and Hybrid Approaches.

Other more recent works use several deep learning systems together or deep learning with Internet of Things (IoT) systems to create intelligent waste management solutions. Ensemble learning and transformer-based methods represent another type of hybrid method that have been suggested to enhance the classification accuracy and system performance. These strategies are supposed to address the shortcomings of single models and assist in their real-life implementation in smart cities.

2.2 Comparative Analysis of Existing Methods

Author(s)	Year	Method / Model	Dataset	Performance	Limitations
Gonethi R. et al.	2024	YOLOv8 + EfficientNet	1000 Images	93% Accuracy	Overfitting issues
Parashuram P. S. et al.	2025	ResNet50 (Transfer Learning)	FreshNet (5000 Images)	93.75% Accuracy	Requires high GPU resources
Rahim Karim et al.	2024	ViTm Transformer (ViT)	15,000 Images	98.17% Accuracy	High computational cost
Chaitan Kumaraswamy et al.	2021	ResNet34 + Infrared Bin	5000 Images	98.05% Accuracy	Limited waste categories
M. S. Subashini et al.	2024	YOLOv8 + CNN	Self-flow dataset	mAP = 90%	Limited dataset
Adik Narendra et al.	2025	Ensemble (DenseNet121 + ResNet18)	25,275 Images	97.4% Accuracy	Model complexity
Kishor Bikram Shah et al.	2025	ResNet / YOLOv8	54,000 Images	94.0% Accuracy	High computational requirements
Haral M. Hain et al.	2024	ResNet-based CNN	5000 Images	91.2% Accuracy	Limited waste classes
Mahmud Alsharif et al.	2024	YOLOv8 / YOLOv7	5334 Images	mAP@0.5 = 9.81	Dataset diversity limited
E. A. Jaisankar et al.	2021	CNN + Capsule Network	1000 Images	98.2% Accuracy	Very small dataset

4.3 Critical Review

The literature under review shows that the deep learning methods have greatly enhanced the efficiency of the waste-classification systems. Convolutional Neural Networks (CNN), transfer learning systems (ResNet, MobileNet, EfficientNet), and object detection systems (YOLO) have proven to be very accurate in detecting various kinds of waste. Such strategies allow automatic waste sorting and can be used to facilitate intelligent waste management systems.

Nevertheless, even with such improvements, there are a number of shortcomings in the current research. Most models are trained using relatively small or controlled datasets, which restricts their performance to be used in real-world scenarios where waste objects can be found in varied lighting and background conditions and orientations. Some other studies are also concerned mainly with the enhancement of the classification accuracy with no mind on the computational efficiency as well as the model complexity.

The other problem found in literature is that it does not have real-time deployment and scalability. There are models of deep learning which need a lot of computational power and powerful hardware and are not easy to apply in real-world applications of smart waste management systems including smart bins or embedded devices. Moreover, most of the studies only classify a few categories of waste limiting the relevance of the system in the actual waste management situations where the types of waste are varied.

In general, although the difficulty of the waste classification system based on deep learning seems to

have promising results, models that are lightweight, accurate, and can work effectively under real-time settings with a variety of waste types are necessary. Overcoming these obstacles can help to enhance the efficiency of automated systems of waste segregation and help to implement sustainable practices of waste management.

4.4 Identified Research Gaps

Even though it has achieved much in automated waste classification using deep learning techniques, there are still a number of important research gaps.

To begin with, most of the available studies use small or limited datasets to find that limits generalization capability of models to the real-world waste management context. Models that are trained using small datasets tend to break when they are used with different waste images that are taken under varying lighting conditions, backgrounds and orientations.

Second, some of the high-performing models are based on complex deep learning networks that are computationally expensive, thus they cannot be deployed in real-time smart waste management systems or portable controllers like smart bins.

Third, most of the available research emphasized mainly on classification accuracy and other such aspects as model efficiency, scalability, and ability to process real time have not been sufficiently considered.

Fourth, many studies only classify a small number of waste types, yet in the real-world waste management system there are several types of waste that need to be classified.

Lastly, there is little practical implementation and experimentation of automated waste segregation systems. In the majority of studies, their models are tested in controlled conditions without any experiment to assess their performance in real-life situations in waste management.

III. PROPOSED METHODOLOGY

3.1 System Overview

The aim of the proposed system is to create a smart waste classification system based on deep learning which will be capable of classifying various wastes based on image classification. The system is based on the trained deep learning model that allows classifying waste images into various categories, including plastic, paper, glass, metal, and organic waste.

The general workflow of the system is based on the collection of a labeled dataset of waste images, and the data processing and augmentation to enhance the model generalization. The images are then preprocessed and then trained through a lightweight deep learning model, e.g. a Convolutional Neural Network (CNN) or a transfer learning model like MobileNet.

After training the model, it is tested based on conventional performance measures, including accuracy, precision, recall, and F1-score. The trained model can then be incorporated in an intelligent waste system where it would be used to classify waste images in real time. The model output is useful in that it facilitates the automatic segregation of waste in the right categories to enhance the efficiency of recycling and save labor.


databases like TrashNet or other waste classification databases. The images obtained are then preprocessed in order to enhance the quality of input data. Image resizing, image normalization and image data augmentation options like rotation, flipping and scaling are also used as pre-processing steps to enhance the diversity of the dataset.

Upon the pre-processing, the prepared dataset is split into training, validation, and testing chunks. The training dataset is then fed into a deep learning model, e.g. a Convolutional Neural Network (CNN) or a transfer learning architecture such as MobileNet, which is trained. The model is trained to detect visual patterns and features that are related to various types of wastes.

After the training, the model is tested on the test dataset. Evaluation metrics like accuracy, precision, recall and F1-score are used to measure performance. The trained model can be deployed and used to classify wastes in real time. As a new waste image is fed to the model, it processes the image and gives the right waste category. The automated classification of waste can be supported by the output classification result.

Workflow Steps

1. Waste Image Dataset Collection
2. Image Pre-processing and Data Augmentation
3. Dataset Splitting (Training, Validation, Testing)
4. Model Training using Deep Learning Algorithms
5. Model Evaluation using Performance Metrics
6. Waste Image Classification
7. Automated Waste Segregation Output



3.2 Workflow Diagram

The suggested system has a systematic methodology of automated waste classification through deep-learning-based approach. This is done by first gathering waste image data of publicly available



3.3 Dataset Description

The data in this research is given in the form of labeled photographs of various categories of waste. Waste image classification studies generally use publicly available datasets like Trash-Net and other garbage classification datasets. These datasets include the images of the different waste materials under different conditions.



In this study, the dataset consists of pictures that represent several categories of waste plastic, paper, glass, metal and organic waste. All the images are marked based on the type of waste. The dataset is processed by first preprocessing steps such as image resizing, image normalization, and image data augmentation before training the model. The measures contribute to enhancement of the deep learning model performance and the generalization ability.

The data is split into three subsets, namely training, validation, and testing. The deep learning model is trained on the training set, model parameters are tuned on the validation set and the final model performance is tested with the help of the testing set.

With the aid of a correctly organized set of data, one can be confident in the ability of the created model to acquire visual features and rightly categorize various wastes in real-life waste management scenarios.

IV. EXPECTED RESULTS AND DISCUSSION

4.1 Expected Outcomes

The suggested waste classification system which is based on the deep learning platform is likely to enhance the efficiency and accuracy of the waste segregation process. Through image classification methods, the model ought to be in a position to automatically detect the various types of waste like plastic waste, paper waste, glass waste, metal waste, organic waste among others. The system is also supposed to attain good classification as well as computational efficiency with a real time application. Data preprocessing methods, transfer learning models can also be used to further increase the generalization of the model across various waste images. The suggested lightweight architecture will also lead to a lower cost of computation and hence will be applicable to use with the smart waste management systems like the smart bins or automated recycling center.

4.2 Comparative Evaluation Plan.

To test the effectiveness of the proposed model, the performance will be compared to the current deep learning methods in the classification of wastes. The assessment will be done based on the standard performance measures including Accuracy, Precision, Recall and F1-score. On top of that, the computational efficiency and inference time of the model will be evaluated to ascertain its effectiveness in the deployment in real-time application.

4.3 Discussion

The suggested method will be able to overcome some of the drawbacks presented in the literature such as small data sets, complexity in computation, and lack of practical applicability. The system is likely to offer dependable performance of waste classification through the development of a lightweight deep learning model and appropriate data preprocessing methods. Findings can be used in the enhancement of

automated waste sorts and sustainable waste management in smart city settings.

V. APPLICATIONS AND USE CASES

The suggested waste classification system developed on the principles of deep learning can be applied in the contemporary waste management and smart city settings on several practical ways. Computerized trash sorting will go a long way in enhancing the recycling process as it will help in accurately identifying the various types of waste and eliminate the necessity of manual sorting.

A potential use is in intelligent waste bins, where cameras and systems can scan images of waste and identify them automatically and then dispose them. This will assist in making sure that the waste is in the right compartment so that the recycling process is enhanced and the recyclable waste is not contaminated.

The system also can be used in recycling plants and waste processing factories where sorting systems can be automated to achieve a faster way of segregating waste and how to save on operational expenses. The model can be combined with conveyor belt systems and robot arms to automatically dispose waste materials to the relevant recycling facilities.

The suggested system can also be used to facilitate smart city projects because it allows intelligent waste management systems. Such systems allow municipal authorities to track waste streams, optimize the process of recycling, and minimize the level of waste in landfills.

Academically, the study can help build AI-based environmental solutions, and the deep-learning implementation in sustainability and environmental well-being requires further investigation.

CONCLUSION

This paper has given an in-depth review of deep learning methods applied to classify waste in smart waste management systems. The analysis of the literature reviewed the current literature and revealed the increasing popularity of image classification

methods including, Convolutional Neural Networks (CNN), transfer learning models, and object detection systems in waste sorting activities. The literature review showed that the accuracy levels of the deep learning models can be high in waste classification, but it has a number of limitations, such as small samples, high computational complexity, and inability to run in real-time.

According to the research gaps, this study suggested a lightweight deep learning-based model of automated waste classification with the use of image data. The suggested plan is aimed at enhancing the accuracy of classification and preserving the computational efficiency to be used in the smart waste management systems in real-time. The algorithm includes the preparation of data, model training, and quantification of results with conventional measures, which are accuracy, precision, recall, and F1-score.

It is assumed that the proposed system will facilitate the increased automated waste separation and efficient waste recycling, as well as the decrease in environmental pollution. Future research can be aimed at increasing the scale of the dataset, enhancing the resilience of the model in the real-life setting, and integrating the system with the use of the IoT-based smart waste management systems to facilitate the idea of the sustainable smart city.

REFERENCES

- [1] K. Gomathi and L. K. Narayanan, "A Deep Learning Aided Smart Waste Classification System for Smart Cities," in Proc. IEEE Int. Conf. Computational Intelligence and Communication Networks (CICN), 2024, pp. 160–164.
- [2] N. Singh, K. S. Reddy, and R. Aluvalu, "AI Driven Waste Classification for Smart Recycling," in Proc. IEEE Int. Conf. Disruptive Technologies (ICDT), 2025, pp. 1590–1594.
- [3] P. P. Sanjana, Y. Krishna, A. M. P., L. Jayakrishna, and A. K. Sivaramakrishnan, "AI-Based Waste Classification Using ResNet50 and PyTorch: A Practical Approach for Real-World Deployment," in Proc. IEEE Int. Conf. Women

- in Innovation, Technology & Entrepreneurship (ICWITE), 2025.
- [4] V. Balaji, P. Perichetty, M. Giri, and M. R. Sekhar, "Analysis of Garbage Classification with a Convolutional Neural Network," in Proc. IEEE Int. Conf. Communication, Computing and Energy Efficient Technologies (I3CEET), 2024, pp. 1064–1069.
- [5] J. P. Bhati, C. Garg, H. K. Saran, and A. Singh, "Automated Trash Detection and Classification Using CNN: A Deep Learning Approach," in Proc. IEEE Int. Conf. Networks and Cryptology (NETCRYPT), 2025, pp. 1030–1034.
- [6] M. S. Hossen, A. J. Shoukhin, N. H. Athin, and A. Chakma, "Automated Waste Management: A Deep Learning and Cloud-Based Food & Plastic Waste Separator Bin," in Proc. IEEE Int. Conf. Sustainable Technologies for Industry 5.0 (STI), 2024.
- [7] R. Kashaf, E. P. Alegre, T. Prova, and S. Aggarwal, "Automated Waste Management Using a Customized Vision-Based Transformer Model," in Proc. IEEE World AI IoT Congress (AIoT), 2024.
- [8] A. Kovitvadhi, P. Sapsoonthorn, S. Thainimit, and P. Rattanadechkamjohn, "YOLO-Based Waste Classification and Detection for Smart Recycling," in Proc. IEEE Int. Smart Cities Conf. (ISC2), 2024.
- [9] A. Narendran, S. Sundaram, A. H. Inuguri, and M. Yashaswini, "Smart Waste Management System: Automating Waste Sorting with Image Classification and IoT Integration," in Proc. IEEE Int. Conf. Compute, Control, Network & Photonics (ICCCNP), 2025.
- [10] C. Sirawattananon, N. Muangnak, and W. Pukdee, "Designing of IoT-Based Smart Waste Sorting System with Image-Based Deep Learning Applications," in Proc. IEEE ECTI Conf., 2021, pp. 383–387.
- [11] A. M. Nasir and R. Roslan, "Real-Time Recycle Waste Classification Using Deep Learning: A CNN Model for Automated Waste Management," in Proc. IEEE Int. Conf. Computing (ICOCO), 2024, pp. 440–445.
- [12] D. A. Janeera, P. R., S. V., and M. S. Sheela, "Visual Servoing and Deep Capsule Network Learning for Contactless Smart Waste Segregation," in Proc. IEEE Int. Conf. Smart Electronics and Communication (ICOSEC), 2021, pp. 1301–1305.