

Safe Aviation Fueling as A Habit: Building a Culture of Consistent Safety in Aircraft Refuelling Operations

OKORO OBINNA¹, ADEJUBEE F.M²

^{1, 2} The University of America Curacao

Abstract- Aircraft refuelling is a routine ground operation, yet it involves combustible material, high-value equipment, pressurized systems, electrical hazards, vehicle movement, environmental exposure and the possibility of human error. The routine nature of fueling can create a particular safety challenge: repeated tasks may become familiar enough for personnel to underestimate their hazards or normalize shortcuts. This journal examines safe aviation fueling as a habit rather than merely a procedural requirement.

The paper reviews the major hazards associated with aircraft fueling, the role of standard operating procedures, fuel quality assurance, bonding and grounding, communication, personal protective equipment, emergency preparedness, human factors and organizational safety culture. It argues that reliable safety performance is strengthened when safe actions are repeated consistently until they become part of normal professional behavior. The paper also considers how supervision, training, reporting systems, risk assessment and continuous improvement can reinforce these behaviors.

The study is based on a review of established aviation guidance and safety principles, with particular reference to ICAO, IATA, FAA and JIG materials. It concludes that safe fueling should be treated as a disciplined operational habit supported by competent personnel, fit-for-purpose equipment, effective procedures and a workplace culture in which unsafe conditions are identified and corrected before they develop into incidents.

Keywords: aviation fueling, aircraft refuelling, fuel safety, safety culture, human factors, fuel quality

I. INTRODUCTION

1.1 Background of the Study

Aviation is an industry in which routine operations are expected to produce highly predictable results. Aircraft fueling is one of those routine operations. Every day, aircraft are refuelled at airports around the world to support commercial, cargo, charter, military and general aviation activities. Despite its routine character, fueling involves hazards that require disciplined control.

Aviation fuel is essential to flight, but fuel handling introduces risks associated with flammability, vapor, static electricity, contamination, spills, vehicle movement and equipment condition. The safety of the operation therefore depends on controlling hazards before, during and after fuel transfer. ICAO materials describe the standardization of fuel supply and refuelling processes as a foundational aspect of safety assurance in this area. [6]

1.2 Aviation Fueling and Flight Safety

Fuel safety is directly connected to flight safety because the quality and correct delivery of fuel are essential to aircraft operation. IATA identifies fuel as a critical safety and cost factor and describes guidance covering fuel specifications, fuel quality, refuelling procedures, supply-chain quality and fuel system maintenance. [4]

The safety chain begins before the fuel reaches the aircraft. Controls may be required throughout manufacture, transportation, storage, filtration, testing, distribution and into-plane delivery. EI/JIG 1530, for example, addresses quality assurance from manufacture through distribution to airports. [10]

1.3 Statement of the Problem

One of the challenges of repetitive fueling work is the possibility that familiarity may reduce attention. When a task has been performed many times without an incident, personnel may become tempted to treat individual safety controls as optional, particularly when under time pressure. A missed bonding connection, an incorrect fuel grade, poor communication or an overlooked equipment defect can have consequences beyond the immediate fueling team.

The problem addressed by this journal is therefore not simply whether safe procedures exist, but whether personnel consistently perform those procedures with the same discipline during routine and non-routine operations.

1.4 Aim and Objectives

The aim of this journal is to examine safe aviation fueling as a habitual professional behavior and to identify practical measures that support consistent safety performance.

- examine the principal hazards associated with aircraft fueling;
- explain the importance of fuel quality and contamination control;
- examine the roles of bonding, grounding, communication and situational awareness;
- discuss human factors that may contribute to unsafe fueling practices;
- propose a practical framework for developing reliable safe fueling habits.

1.5 Research Questions

- What are the major hazards associated with aircraft fueling?
- How can safe fueling procedures become consistent professional habits?
- What human factors can weaken safe fueling performance?
- How can organizations strengthen safety culture in fueling operations?

1.6 Significance of the Study

The journal is relevant to fueling operators, ground handlers, airline operations personnel, maintenance

personnel, supervisors, safety managers, airport operators, instructors and students of aviation. Its central message is that safety controls are most effective when they are practiced consistently and supported by organizational systems.

1.7 Scope of the Study

The discussion focuses on aircraft refuelling and associated fuel-handling activities, particularly the human, operational and organizational factors that influence safety. It does not replace aircraft-specific or company-specific technical procedures.

II. AVIATION FUELING OPERATIONS

2.1 Meaning of Aircraft Refuelling

Aircraft refuelling is the controlled transfer of approved aviation fuel from a supply system or fueling vehicle into an aircraft fuel system. The operation can involve hydrant systems, refuellers, tank trucks, bowsers, pumps, hoses, nozzles, meters, filtration equipment and associated safety devices.

The task requires coordination between the fueling operator and other personnel responsible for the aircraft and ramp environment. Depending on the operation, communications may involve flight crew, maintenance personnel, ground handlers, apron control and other airport stakeholders.

2.2 The Aviation Fuel Supply Chain

Aviation fuel passes through multiple control points before reaching the aircraft. Quality assurance must therefore consider the possibility of contamination, deterioration, incorrect identification or loss of traceability at different stages.

IATA notes that technical fuel guidance covers the fuel supply chain from refinery processes through delivery into the aircraft. [4] ICAO's fuel-supply guidance similarly addresses safe handling across the supply chain. [5]

2.3 Into-Plane Fueling Operations

Into-plane fueling is the final operational stage in which fuel is delivered to the aircraft. JIG identifies JIG 1 as its standard for aviation fuel quality controls and operating standards for into-plane fuelling

services, while JIG 2 covers airport depots and hydrants. [7], [8]

An effective into-plane operation requires correct equipment positioning, identification of the aircraft and fuel grade, inspection of relevant equipment, appropriate bonding and grounding arrangements, communication, control of ignition sources and readiness to respond to abnormal conditions.

2.4 Fuel Quality and Contamination Control

Fuel quality is a safety-critical consideration. Water, particulate matter, microbial contamination, incorrect fuel grade and other contaminants can affect aircraft fuel systems and engine operation. IATA provides technical fuel guidance addressing fuel specifications, cleanliness and contamination issues. [4]

JIG emphasizes the delivery of clean, dry and on-specification aviation fuel and maintains quality guidance for industry operations. [12]

Control Area	Potential Failure	Safety Objective
Fuel identification	Wrong grade or product	Deliver the approved fuel
Sampling/testing	Contamination not detected	Verify acceptable quality
Filtration	Particles/water pass through	Protect aircraft fuel system
Documentation	Loss of traceability	Maintain quality assurance
Storage/transfer	Water or contamination	Preserve fuel integrity

III. HAZARDS IN AVIATION FUELING

3.1 Fire and Explosion Hazards

Fueling operations involve combustible liquid and potentially flammable vapors. Ignition sources must therefore be controlled in accordance with applicable procedures. Personnel should understand that an apparently small ignition source can become significant when fuel vapor is present.

Aviation fueling procedures should include appropriate controls for ignition sources, smoking and open flames, equipment condition, electrical hazards, emergency shutdown and spill response. FAA guidance on aircraft ground handling states that fueling should be discontinued in the event of fuel spillage until the spill can be removed using proper safety precautions. [1]

3.2 Static Electricity and Bonding

Static electricity is an important fueling hazard because fuel movement can contribute to electrostatic charge. Bonding provides a conductive path to equalize electrical potential between relevant equipment and the aircraft. FAA guidance describes bonding and grounding steps as part of fueling safety and emphasizes maintaining the nozzle-to-aircraft bond during fueling. [1]

Personnel should follow the approved bonding and grounding sequence for the particular equipment and aircraft. The exact connection points and procedure must be determined by applicable technical documentation rather than by assumption.

3.3 Fuel Contamination

Contamination can arise from water, dirt, microbial growth, incompatible materials, foreign matter or an incorrect product. Contamination control is therefore a chain-wide responsibility rather than a single inspection performed at the aircraft.

The practical lesson is simple: fuel that looks acceptable at one point in the chain should still be controlled according to the required testing, sampling, filtration and documentation procedures.

3.4 Spills and Environmental Hazards

Fuel spills can create fire hazards, slip hazards, environmental impacts and operational disruption. A spill should not be treated as merely a housekeeping issue. Personnel should follow the applicable emergency response plan, stop or isolate the source where safe to do so, establish appropriate controls and notify the responsible personnel.

3.5 Equipment and Vehicle Hazards

Fueling vehicles operate in areas shared with aircraft, baggage equipment, passenger stairs, ground support

equipment and personnel. Poor positioning, uncontrolled movement, equipment defects or inadequate clearance can produce collision and injury risks.

3.6 Human Error and Complacency

Human error may include incorrect identification, missed checks, poor communication, procedural deviation or failure to respond to an abnormal condition. Complacency is especially important in repetitive work because previous incident-free operations can create false confidence.

The solution is not to blame individuals for every error. Effective safety systems examine why the error was possible and strengthen the barriers that should prevent or detect it.

IV. SAFE FUELING AS A HABIT

4.1 From Procedure to Habit

A procedure describes what should be done; a habit influences what people actually do repeatedly. In safe fueling, the goal is to make critical controls so consistently practiced that they remain present even when the operation is routine, busy or inconvenient.

Habit formation should never mean performing a safety task mechanically without thinking. Instead, it means developing reliable patterns of preparation, verification, communication and intervention.

4.2 The Role of Situational Awareness

Situational awareness means maintaining an accurate understanding of what is happening around the fueling operation. The fueling operator should be attentive to aircraft status, equipment condition, nearby vehicles and personnel, weather, communications, abnormal indications, spills and other changing conditions.

A strong habit is to pause when the situation changes rather than allowing the original plan to continue automatically.

4.3 Standardization and Checklists

Checklists reduce dependence on memory and provide a common sequence for critical tasks. Standardization also allows supervisors to identify deviations more

easily and helps different personnel perform the same safety-critical operation consistently.

However, checklists work best when they are understood rather than merely ticked. Each check should have a safety purpose.

4.4 Communication and Team Coordination

Fueling can involve several people with different responsibilities. Communication should therefore be clear, timely and unambiguous. IATA guidance includes provisions for identifying responsibility for fueling and for communication with flight crew or other qualified personnel when passengers are embarking, onboard or disembarking. [3]

4.5 Stop-Work and Intervention

A mature safety culture gives personnel permission and responsibility to stop an operation when an unsafe condition is identified. The objective is not to delay operations unnecessarily but to prevent a small abnormality from becoming a major event.

Examples may include a suspected fuel spill, damaged hose, questionable bonding connection, unexpected equipment indication, communication failure, unauthorized vehicle movement or uncertainty about fuel grade. When uncertainty exists, the safe response is to pause and verify.

V. HUMAN FACTORS AND SAFETY CULTURE

5.1 Human Factors in Fueling

Human factors concern the interaction between people, equipment, procedures, the work environment and organizational systems. Fueling safety depends on designing operations so that personnel can perform correctly under realistic conditions.

A well-designed system does not assume perfect human performance. It uses barriers, verification, training, supervision and equipment safeguards to reduce the consequences of predictable human limitations.

5.2 Fatigue, Distraction and Work Pressure

Fatigue and distraction can reduce attention and slow responses. Work pressure can also create incentives to hurry, particularly when an aircraft is operating to a

tight schedule. Safety culture should make clear that operational urgency does not remove critical safety requirements.

Supervisors can help by planning adequate staffing, monitoring workload, ensuring suitable breaks and discouraging shortcuts.

5.3 Training and Competence

Training should cover not only the steps of fueling but also the reasons behind those steps. Personnel should understand hazards, equipment limitations, fuel quality controls, emergency procedures, communication requirements and the consequences of procedural deviations.

Competence should be demonstrated through appropriate assessment, supervision and periodic refresher training rather than assumed from experience alone.

5.4 Leadership and Safety Culture

JIG describes an HSSE management system as a systematic approach that helps organizations understand the right way of doing things and provides a foundation for continual improvement. [12]

Leadership influences whether safety is treated as a genuine operational value. When supervisors consistently follow procedures, respond constructively to reports and refuse to reward unsafe shortcuts, they reinforce safe habits.

5.5 Reporting and Learning

Organizations learn from incidents, near misses, unsafe conditions and observations. Reporting systems should make it possible to identify recurring weaknesses before they produce serious consequences.

The objective of reporting is not simply to produce statistics. It is to identify patterns, correct underlying causes and verify whether corrective actions are effective.

VI. PRACTICAL SAFE FUELING FRAMEWORK

6.1 Before Fueling

Before fueling begins, personnel should establish that the aircraft, fuel, equipment and operating environment are suitable for the operation. The exact sequence must follow the approved aircraft and company procedures.

- confirm aircraft identity and required fuel grade;
- inspect fueling equipment and hoses for obvious defects;
- position the fueling equipment safely;
- confirm communication arrangements and fueling responsibility;
- verify required bonding/grounding arrangements;
- check for hazards around the aircraft and fueling equipment;
- confirm emergency access and shutdown arrangements;
- ensure required documentation and fuel-quality controls are satisfied.

6.2 During Fueling

During fueling, the operator should maintain continuous awareness of the operation rather than treating the start of fueling as the end of the safety checks.

- maintain required bonding/grounding throughout the operation;
- monitor flow, pressure, meters and equipment indications;
- observe the aircraft and surrounding ramp area;
- maintain required communication;
- watch for leaks, spills, unusual odors or abnormal conditions;
- keep unauthorized persons and equipment away from controlled areas;
- stop fueling if a condition arises that makes continued operation unsafe.

6.3 After Fueling

Completion of fuel transfer is not the end of the safety process. The operator should follow the approved sequence for stopping fuel flow, replacing caps or covers, disconnecting equipment, removing bonding/grounding connections in the prescribed order, inspecting for leaks or spills and securing the equipment.

6.4 Emergency Response

Emergency response depends on the event. Personnel should be familiar with the local emergency plan, emergency shutdown systems, fire protection arrangements, spill response equipment, communication channels and evacuation or exclusion procedures.

Where an emergency develops, personnel should prioritize life safety, activate the appropriate response, stop or isolate the hazard when safe and trained to do so, and notify the responsible emergency and airport authorities according to established procedures.

VII. DISCUSSION AND CASE-BASED LESSONS

7.1 Why Routine Tasks Need Strong Controls

Routine work can create a paradox: the more familiar an operation becomes, the easier it may be to underestimate the need for active attention. A safe organization therefore treats routine operations as controlled operations, not as informal tasks.

The existence of a standard does not automatically produce safe behavior. JIG's 2026 process-safety material specifically emphasizes how everyday activities, decisions and behaviors influence the control of major hazards in aviation fuel handling facilities. [11]

7.2 Lessons from Fuel Quality Events

Fuel-quality problems demonstrate why safety cannot be confined to the ramp. A contamination event may originate earlier in the supply chain and only become apparent later. This makes traceability, quality documentation, sampling, testing and disciplined transfer controls essential.

ICAO and IATA materials both emphasize the importance of managing fuel quality through the supply chain.

7.3 Learning from Unsafe Conditions

An unsafe condition that does not result in an incident should still be treated as valuable safety information. For example, discovering a damaged bonding cable

before fueling is an opportunity to correct the weakness before it contributes to an event.

The lesson is that safety systems should reward early detection. Reporting and correcting weak signals is often more effective than waiting for an accident to demonstrate the seriousness of the hazard.

Safety Habit Model

Trigger	Safe Habit	Verification	Outcome
Aircraft arrives for fueling	Pause and prepare	Use approved pre-fueling checks	Controlled start
Fueling begins	Maintain attention	Monitor equipment and environment	Early detection
Abnormal condition appears	Stop and verify	Communicate and assess	Prevent escalation
Fueling ends	Complete shutdown sequence	Inspect and document	Safe handover
Shift ends	Report lessons	Review observations	Continuous improvement

VIII. RECOMMENDATIONS AND CONCLUSION

8.1 Recommendations

- Treat safe fueling as a core professional behavior, not merely a compliance exercise.
- Use current, approved procedures and ensure personnel understand the reason for critical controls.
- Strengthen recurrent training in fuel quality, contamination control, bonding, grounding, fire prevention, spill response and communication.
- Use pre-fueling and post-fueling checks consistently and verify that checklists are understood rather than mechanically completed.

- Maintain a strong stop-work culture in which personnel can pause fueling when an unsafe or uncertain condition exists.
- Use incident, near-miss and unsafe-condition reporting to identify recurring weaknesses.
- Supervisors should model the behaviors expected from fueling personnel and should not reward unsafe shortcuts for schedule convenience.
- Conduct risk assessments when conditions, equipment, procedures, fuel systems or operating environments change.
- Keep equipment inspection, maintenance and calibration programs effective and documented.
- Continuously review safety performance and update procedures when lessons, standards or operational conditions change.

8.2 Conclusion

Safe aviation fueling is not achieved by having a procedure on paper alone. It is achieved when competent people consistently perform the right actions, recognize hazards, communicate clearly, use appropriate controls and intervene when conditions are unsafe.

The routine nature of fueling makes habit particularly important. A professional who automatically checks, connects, communicates, observes and verifies is less dependent on memory or motivation at the moment a hazard appears. Safe habits create layers of protection that support the technical standards governing aviation fuel operations.

The central conclusion of this journal is therefore straightforward: safe fueling should become normal behavior. When safety is repeated until it becomes part of professional identity, the organization is better positioned to identify hazards early, protect people and aircraft, preserve fuel quality and prevent avoidable incidents.

This approach is consistent with the broader aviation-safety principle that effective risk control requires both technical standards and disciplined human performance.

REFERENCES

- [1] Federal Aviation Administration (FAA), “AC 00-34A: Aircraft Ground Handling and Services,” FAA, 1974.
- [2] International Air Transport Association (IATA), “IATA Standard Fueling Procedures: Service Levels and Safety,” IATA, 2020.
- [3] International Air Transport Association (IATA), “ISSA Standards Manual, Part I – Aeroplanes,” 7th ed., IATA, 2024.
- [4] International Air Transport Association (IATA), “Technical Fuel: Fuel Quality, Fueling Operations and Technical Guidance,” IATA, 2026. [IATA](#)
- [5] International Civil Aviation Organization (ICAO), “Manual on Civil Aviation Jet Fuel Supply,” Doc. 9977, AN/489, ICAO, 2012.
- [6] International Civil Aviation Organization (ICAO), “Standards to Strengthen Measures to Ensure Safety During Refuelling,” Assembly Working Paper A41-WP/319, ICAO, 2022.
- [7] Joint Inspection Group (JIG), “JIG 1 Standard: Aviation Fuel Quality Controls and Operating Standards for Into-Plane Fuelling Services,” Issue 13, JIG, 2021. [Joint Inspection Group](#)
- [8] Joint Inspection Group (JIG), “JIG 2 Standard: Aviation Fuel Quality Controls and Operating Standards for Airport Depots and Hydrants,” Issue 13, JIG, 2021. [Joint Inspection Group](#)
- [9] Joint Inspection Group (JIG), “JIG 4 Standard: Aviation Fuel Quality Control and Operating Standards for Smaller Airports,” Issue 4, JIG, 2021. [Joint Inspection Group](#)
- [10] Joint Inspection Group (JIG), “EI/JIG 1530: Quality Assurance Requirements for the Manufacture, Storage & Distribution of Aviation Fuels to Airports,” JIG, 2019. [Joint Inspection Group](#)
- [11] Joint Inspection Group (JIG), “Safety Information Document #2: Process Safety Management,” JIG, 2026.
- [12] Joint Inspection Group (JIG), “Safety (HSSE) Resources and Guidance on Risk Assessment and Management of Change,” JIG, 2026.
- [13] International Air Transport Association (IATA), “Fuel Servicing Guidance Materials.” [Online]. Available: [IATA](#)

- [14] International Air Transport Association (IATA),
“Technical Fuel.” [Online]. Available: [IATA](#)
- [15] Joint Inspection Group (JIG), “Standards and
Publications.” [Online]. Available: [Joint
Inspection Group](#)
- [16] Joint Inspection Group (JIG), “Safety (HSSE).”
[Online]. Available: [Joint Inspection Group](#)
- [17] Federal Aviation Administration (FAA), “AC
00-34A.” [Online]. Available: [FAA](#)