

Microsoft Power BI for Data Analytics and Visualization

Shreya Mahadev Nikam

Department of Artificial Intelligence and Machine Learning, Navsahyadri College of Engineering, Pune, Maharashtra, India

Published October 2026

Abstract

Organizations generate large volumes of information through sales, operations, finance, and customer interactions. Converting these records into useful insights requires efficient data preparation, analysis, and visualization. Microsoft Power BI is a business intelligence platform that connects to multiple data sources, transforms data with Power Query, models relationships, and creates interactive reports and dashboards. This paper presents a research-oriented framework for applying Power BI to data analytics and visualization. The proposed workflow covers data collection, cleaning, modelling, DAX calculations, report development, publication, and controlled sharing. It also discusses usability, data refresh, governance, and performance evaluation. Rather than claiming experiments that have not been conducted, this paper outlines a reproducible evaluation plan based on data accuracy, refresh duration, report responsiveness, and user comprehension. The framework can support informed decision-making in business, education, healthcare, and public administration.

Keywords: Microsoft Power BI; data analytics; data visualization; business intelligence; dashboards

1 Introduction

Modern organizations store information in spreadsheets, databases, cloud services, and enterprise applications. These datasets often contain useful patterns, but raw tables are difficult to interpret quickly. Data analytics identifies trends, comparisons, and exceptions, while visualization presents findings through charts, tables, and interactive dashboards. Microsoft Power BI combines these activities within a business intelligence environment.

Power BI Desktop enables analysts to connect to data, use Power Query for cleaning, build a semantic model, create DAX measures, and design reports. Power BI Service supports publishing, sharing, and scheduled refresh where supported [1], [2]. Together, these tools help transform fragmented records into understandable information.

The value of visualization extends beyond attractive charts. Reliable dashboards require correct calculations, consistent definitions, suitable visuals, accessible design, and appropriate access controls. This paper describes a practical Power BI workflow and separates proposed evaluation methods from actual measured outcomes.

2 Problem statement and objectives

Organizations relying on manual spreadsheets and static reports may struggle with inconsistent records, repeated calculations, delayed updates, and limited interactive analysis. A Power BI solution should integrate multiple sources and present trustworthy information while remaining responsive

and understandable. The main problem addressed is how to build a reproducible analytics workflow without assuming that a dashboard alone guarantees correct decisions.

The objectives of the proposed framework are:

1. import and integrate data from selected sources;
2. clean, transform, and model data for consistent analysis;
3. create interactive visualizations and relevant key performance indicators;
4. define measurable criteria for accuracy, refresh speed, and usability; and
5. identify security, governance, and maintenance considerations.

3 Related work

3.1 Business intelligence and self-service analytics

Business intelligence systems combine data integration, reporting, and analytical presentation to support organizational decisions. Power BI provides self-service tools through which analysts can explore data and build reports while relying on governed datasets [1]. The quality of the underlying data remains essential.

3.2 Power Query and data modelling

Microsoft documentation describes Power Query as a data connectivity and preparation experience, while Power BI semantic models organize tables, relationships, and calculations [2], [3]. Structured models and reusable measures help maintain consistent definitions across visualizations.

3.3 Interactive visualization and DAX

Power BI reports support charts, slicers, filters, and cross-highlighting. Data Analysis Expressions (DAX) provides formulas for measures and calculated results [4]. Visualization design research also emphasizes matching chart types to analytical questions and avoiding misleading displays [5].

The research gap addressed in this paper is practical integration: a clear workflow linking source data, transformation, modelling, visual analysis, and secure distribution, with explicit evaluation of accuracy, performance, and usability.

4 Proposed methodology

The proposed system collects data from spreadsheets, databases, or supported online sources. Power Query transforms records into a consistent format. A semantic model connects relevant tables, and DAX measures calculate indicators. Reports then present trends, comparisons, and detailed views using filters and interactive charts. Published content may be shared with authorized users according to organizational policies.

4.1 System architecture

Data sources → Power Query import and transformation → semantic model and relationships → DAX measures → interactive report pages → Power BI Service publication → authorized dashboard users. Refresh and access controls should be configured separately according to data-source and licensing requirements.

4.2 Data collection and preprocessing

Data is imported from selected files or databases. Missing values, duplicate rows, inconsistent dates, and incorrect data types are identified and handled using documented rules. Source lineage and transformation steps should be retained so that changes can be reviewed and repeated.

4.3 Data modelling and DAX

Fact and dimension tables are organized into meaningful relationships where appropriate. Measures such as total sales, average revenue, or completion rate are defined using DAX. Calculations should be checked against independently computed sample values to prevent misleading indicators.

4.4 Visualization design

Report pages use suitable bar charts, line charts, tables, cards, and slicers to answer specific questions. Titles, labels, units, and consistent scales improve readability. Excessive visuals and unnecessary decorative elements should be avoided to maintain clarity and performance.

4.5 Sharing and decision support

Reports may be published to Power BI Service and made available to approved users. Row-level security can restrict access where configured correctly. Users can filter information and investigate trends, but important decisions should also consider data limitations and business context.

5 Implementation plan

A prototype can be developed with Power BI Desktop and a representative, non-sensitive dataset. The process should separate data preparation, model design, report construction, and publication so each stage can be validated independently. Initial reports should be checked locally before wider sharing [1], [2].

Recommended implementation stages are:

1. install Power BI Desktop and select a suitable dataset;
2. connect to files or supported databases and inspect fields;
3. clean data and document transformations in Power Query;
4. define table relationships and required DAX measures;
5. create charts, KPI cards, slicers, and report pages;
6. validate figures and configure publication and access; and
7. test report performance, refresh behaviour, and usability.

The deployment process should document the data source, refresh method, report owner, access permissions, and calculation definitions. Sensitive data must be handled according to applicable privacy policies. Users should not assume that publication automatically grants appropriate security.

6 Performance evaluation

A meaningful evaluation should assess the completed report with representative data and intended users. Results should be measured on the actual dataset and configuration rather than inferred from

vendor examples. Performance can vary with data volume, model design, visual complexity, and connectivity.

Data accuracy can be measured as the percentage of tested KPI values matching verified reference calculations. Refresh duration is the elapsed time required to update the dataset. Report response time measures the delay after a filter or slicer action. Task completion rate = successfully completed analysis tasks / total assigned tasks $\times$ 100. User feedback can assess clarity and ease of navigation.

A suggested test matrix includes: (i) small and large datasets, (ii) missing or duplicated records, (iii) multiple filters and slicers, (iv) changing source data, (v) restricted user access, and (vi) report viewing on different screen sizes. Record dataset size, model structure, refresh settings, visual count, and measured response times.

No original quantitative benchmark or user study is claimed in this paper. The proposed tests can support a future results table with columns for scenario, KPI accuracy, refresh time, interaction response time, and user task completion.

7 Discussion

Power BI brings data transformation, modelling, calculations, and interactive visualization into a unified workflow. Its main advantage is the ability to explore connected information through reusable measures and report filters [1], [4]. However, meaningful insights depend on the correctness of source data and the quality of the model.

Several limitations remain. First, incomplete or biased datasets can produce misleading reports. Second, poorly designed relationships or DAX measures can create incorrect totals. Third, large models and numerous visuals may reduce responsiveness. Fourth, sharing, refresh, and advanced capabilities can depend on licensing, connectivity, and administrative settings.

For practical deployment, teams should establish data ownership, validation checks, access policies, and regular report review. Visualizations should communicate uncertainty and avoid misleading comparisons. Users should receive enough context to interpret patterns rather than treating dashboards as automatic recommendations.

8 Applications

The proposed framework can support: (1) sales and revenue tracking, (2) financial and budget analysis, (3) student performance monitoring, (4) hospital resource and service reporting, and (5) inventory and supply-chain analysis. Each application requires domain-specific indicators, reliable data, and validation before operational use.

9 Conclusion

This paper presented a framework for Microsoft Power BI in data analytics and visualization. The workflow connects data sources, Power Query transformations, semantic modelling, DAX calculations, and interactive reporting. It also proposes evaluation criteria covering accuracy, refresh duration, report responsiveness, and usability. Power BI can support accessible and timely analysis, but effective deployment requires reliable data, sound visualization choices, and controlled access. Future work should implement the framework on a representative dataset, measure performance, and gather feedback from intended users.

References

- [1] Microsoft. *What is Power BI? Microsoft Learn*. Available from: <https://learn.microsoft.com/en-us/power-bi/fundamentals/power-bi-overview>
- [2] Microsoft. *Power Query documentation*. Microsoft Learn. Available from: <https://learn.microsoft.com/en-us/power-query/>
- [3] Microsoft. *Semantic models in the Power BI service*. Microsoft Learn. Available from: <https://learn.microsoft.com/en-us/power-bi/connect-data/service-datasets-understand>
- [4] Microsoft. *Data Analysis Expressions (DAX) reference*. Microsoft Learn. Available from: <https://learn.microsoft.com/en-us/dax/>
- [5] Ware C. *Information Visualization: Perception for Design*. 4th ed. Morgan Kaufmann; 2020.